•					OIPE	\		Sheet Pag	e Lof 3
om PTO-1449 INFORMATION DISCLOSURE CITATION					ket Number (Optional)  A-005.05  OCT 0.8 7005	Appli	cation Number 64,140	oneer rug	,,
IN AN APPLICATION (Use several sheets if necessary)					A-005.05	g) 10//	04,140		
(Use several sneets if necessary)				Filin	ig Date	Group	Art Unit		
					J.S. PATENT DOCUMENTS	164	·		
EXAMINER INITIAL	DOC	CUMENT NUMBER	DATE		NAME	CLASS	SUBCLASS	FILING DA	
СВ	AA	5,216,132	06/01/9	93	Basi				
СВ	AB	5,223,427	06/29/9	93	Edgington				
СВ	AC	5,437,864	08/01/9	95	Edgington et al.				
CB	AD	5,552,300	09/03/9	96	Makrides et al.				
СВ	AE	5,693,762	12/02/9	97	Queen et al.				
CB	AF	5,869,046	02/09/9	99	Presta et al.			_	
СВ	AG	5,986,065	11/16/9	99	Wong et al.				
СВ	АН	6,274,142	08/01	1	O'Brien et al.				
	· · · · · · ·		F	OR	EIGN PATENT DOCUMENTS	S		<u> </u>	
	DOCUMENT NUMBER		DATE		COUNTRY	CLASS	SUBCLASS	Translati YES	NO NO
	BA	WO 91/18019	11/28/9	1 -	PCT				_×
	ВВ	WO 96/13593	03/06/9	6	PCT				
	ъс	WO 96/18105	06/13/9	6	PCT				
	DD	FP 0 420 937	10/91		Ешорс				-
CB	BE	WO 96/40921	12/19/9	6	PCT				
OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages Etc.)									
СВ	CA	Carson et al., "An Inhibitory Monoclonal Antibody Against Human Tissue Factor," Blood, 70(2):490-493 (1987)							
СВ	СВ	Caulfield, M.J. et al. "A pathogenic monoclonal antibody, G8, is characteristic of antierythrocyte autoantibodies from Coombs'-positive NZB mice," J. Immunol. 148(7):2068-2073 (1992)							
	СС	Database EMBL: MMG8LC, Accession #X60425, October 21, 1991 Description "G8 (ANTI-MRBC) V(L), J(L)" XP-002305737							
СВ -	CD-	Presta et al., "Generation of a Humanized, High Affinity Anti-Tissue Factor Antibody for Use as a Novel Antithrombotic Therapeutic," Thromb Haemost 85:379-89 (2001)							
СВ	CE		Taylor et al., "Protein C Prevents the Coagulopathic and Lethal Effects of Escherichia coli Infusion in the Baboon," J. Clin. Invest., 79:918-925 (1987)						
	CF	Wen Jinghai et al. "Antibody-dependent cellular cytotoxicity and antibody dependent cellular phgocytosis of breast cancer cells mediated by anti-tissue factor monoclonal antibodies," FASEB Journal, 15(5):A1198 (2001) Annual Meeting of the Federation of American Societies for Experimental Biology on Experimental Biol; Orlando, Florida, March 31-April 4, 2001 Abstract							
	CG	Chothia et al. "The outline structure of the T-Cell αβ receptor," The EMBO Journal, 7(12):3745-3755 (1988)							
	100								15

Form PTO-1449 INFORMATION DISCLOSURE CITATION IN AN APPLICATION (Use several sheets if necessary)				Docket Number (Optional)  Application Number					
				TNA-005.05 10/764,140			<u> </u>		
				Applicant Hing C. Wong et al.					
				ling Date Anuary 22,, 2004	Grоф 1645	Group Art Unit			
				REIGN PATENT DOCUME					
-	T 200	CUMENT NUMBER	DATE	COUNTRY	CLASS	SUBCLASS	Translati	оп	
	100		DATE	COUNTRY	CEASS	SOUCEASS	YES	NO	
СВ	BF	WO 94/05328	03/17/94	PCT					
СВ	BG	WO 99/43713	09/02/99	PCT				ļ	
CB	вн	вн WO 01/70984 09/27/0		PCT				ļ	
	BI	1-503438	1989	Japan				<u> </u>	
								×	
	<del></del>		PAL P/o So	MENTS condary Response to the Sb Site of		r, Title, Date, Pert		<u>:.)                                    </u>	
СВ	СН	Immunology, 145:	2286-2296 (	(1990)			···		
СВ	СІ	Fiore et al., "An Unusual Antibody That Blocks Tissue Factor/Factor VIIa Function by Inhibiting Cleavage Only of Macromolecular Substrates," Blood, 80(12):3127-3134 (1992)					aly of		
Gascoigne et al., "Secretion of a chimeric T-cell receptor-immunoglobu				noglobulin protein,	' Proc. Natl. Ad	ad. Sci. US.	<del>A,</del>		
	-	DA 2026 2040 (1007)							
		George et al., Marc	comolecular	Sequencing and Synthesis, Alan	Riss, 127-149 (198	8)			
	CK	CK							
Gregoire et al., Proc. Natl. Acad. Sci. USA, 88:8077-9091 (1991)				<del>)                                    </del>					
-	CL								
	1	Groves et al., "Production of an evine monoclonal antibody to testesterone by an interspecies fusion," Hybriodoma,							
	CM 6(1):71-76 (1987)								
		Hustrated Dictionary of Immunology, Cruse et al., CRC Press (1995)							
	CN								
Kappler et al. "Binding of a soluble of T-cell receptor to superantigen/major histocomp				ompatibility co	omoley ligar	ıde."			
	со								
	Kurucz et al., "A bacterially expressed single-chain Fy construct from the 2B4 T-cell receptor," Proc. Noth						oc. Natl. Ac	ed.	
	cQ	•		<del>ll antigen recepter heredimers in a</del>			·	<del>90)</del>	
	CR	Marinage et al, "Se Journal of Biologic	ecretion of a cal, 264(13)	a Homodimeric V <sub>e</sub> C <sub>k</sub> T cell Recep :7310-7316 (1989)	oter Immuneglebul	in Chimeric Pr	otein," The	,	
	Morrison, SL, "In vitre antibodies: strategies for production and application," Ann. Rev. Immunol., 10:239-36 (1992)					<u>\$</u>			

Christina Bacquest 5/10/06

Docket Number (Optional) Application Number Form PTO-1449 INFORMATION DISCLOSURE CITATION 10/764,140 TNA-005.05 IN AN APPLICATION Applicant Hing C. Wong et al. (Use several sheets if necessary) Group Art Unit Filing Date January 22, 2004 1645 U.S. PATENT DOCUMENTS FILING DATE **EXAMINER** DOCUMENT NUMBER DATE NAME CLASS SUBCLASS IF APPROPRIATE INITIAL OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages Etc.) Novotny et al., "A soluble, single-chain T-cell recentor fragment endowed with antigen-combining properties," CT Proc. Natl. Acad. Sci. USA, 88:8646-8650 (1991) Onda et al., "A phage display system for detection of T cell receptor-antigen interactions," Molecular Immunology, CU 32(17-18):1387-1397 (1995) Parmley et al., "Antibody-selectable filamentous fd phage vectors: affinity purification of target genes," Gene, CV 73:305-318 (1988) Presta et al., "Generation of a Humanized, High Affinity Anti-Tissue Factor Antibody for Use as a Novel Antithrombotic Therapeutic, Thromb Haemost 85:379-89 (2001) CW Ragni et al., "Monoclonal Antibody Against Tissue Factor Shortens Tissue Plasminogen Activator Lysis Time and Prevents Recelusion in a Rabbit Model of Carolid Artery Thrombosis," Circulation, 93:1913-1918 (1996) CX Rao et al., "Purification and characterization of rabbit tissue factor," Thrombosic Research, 56:109-118 (1989) CY Schlucter et al., "Specificity and binding properties of a single-chain T cell receptor," J. Mol. Biol., 256:859-869 (1996)CZ Smith et al., Methods in Enzymology, 217:228-257 (1993) DA Soo Hoo et al., Proc. Natl. Acad. Sci. USA, 89.4759-4763 (1992) DB Ward, S., Communications, 885-890 (1992)-DC Ward, E., Scand. J. Immunol., 34.215-220 (1991) DD Wulfing et al., "Correctly folded T-cell receptor fragments in the periplasm of Escherichia coli. Influence of folding catalysts." L Mol. Biol., 242.653-669 (1994)

Christina Boegeet 5/10/06

(1987)

DN

Carson et al., "An Inhibitory Monoclonal Antibody Against Human Tissue Factor." Blood, 70(2):490-493

Sheet Page 2 of 6

		T. N	1230000	Sheet Fage 2 01 0			
Form PTO-1449 INFORMATION I	DISCLOSURE CITATION	Docket Number (Optional) TNA-005.05	Application Number 10/764,140				
IN AN	APPLICATION	Applicant					
(Use severa	al sheets if necessary)	Hing C. Wong et al. Filing Date	Group Art Unit				
		January 22, 2004	1645				
DO	Carson et al., "Monoclonal Antibodies Against Bovine Tissue Factor, Which Block Interaction With Factor VII," Blood, 66(1):152-156 (1985)						
<del></del>	Cate et al., "The Activati	on of Factor X and Prothrombin	by Recombinant Factor VIIa in Viv	vo Is Mediated			
DP	by Tissue Factor," The J	Journal of Clinical Investigation,	ournal of Clinical Investigation, Inc., 92:1207-1212 (1993)				
		ation of the Procoagulant Activity within the Bronchoalveolar Compartment of					
DQ							
DR	Chattopadhyay et al., "Molecular Recognition Sites on Factor Xa Which Participate in the Prothrombinase Complex," The Journal of Biological Chemistry, 267(17):12323-12329 (1992)						
DS	Clarke et al., "The first e binding with tissue facto	epidermal growth factor domain of human coagulation factor VII is essential for or." Federation of European Biochemical Societies, 298(2,3):206-310 (1992)					
DT	Collen et al "New thrombolytic agents and strategies," Bailliere's Clinical Haematology, 8(2):425-43 (1995)						
DU	Colman, P.M., "Effects of amino acid sequence changes on antibody-antigen interactions." Research Immunology, 145:33-36 (1994)						
DV	Contrino et al., "In Situ Characterization of Antigenic and Functional Tissue Factor Expression in Human Tumers Utilizing Mencelenal Antibodies and Recembinant Factor VIII as Probes," Americal Journal of Pathology, 145(6):1315-1322 (1994)						
DW	Drake et al., "Functional Tissue Factor Is Entirely Cell Surface Expressed on Lipopolysaccharide- stimulated Human Bleed Menseytes and a Constitutively Tissue Factor producing Neeplastic Cell Line," The Journal of Cell Biology, 109:389-395 (1989)						
DX	Drake et al., "Selective Cellular Expression of Tissue Factor in Human Tissues," American Journal of Pathology, 134(5):1087-1097 (1989)						
Fair et al., Cooperative Interaction Between Factor VII and Cell Surface-Expressed Tissue Factor VII and Cell S				Factor, The			
	Foulk et al. "Tiesus Fos	star: Identification and Character	rivation of Call Types in Human Pl	ocentae "			
DZ	pz Faulk et al., "Tissue Factor: Identification and Characterization of Cell Types in Human Placentae,"  Blood, 76(1):86-96 (1990)						
Fay et al., "Mutating factor VIII: lessons from structure to function," Bleed Reviews, 19:15-17 (2005							
		•					
EB	Flössel et al., "Immunohistochemical detection of tissue factor (TF) on paraffin sections of routinely fixed human tissue," Histochemistry, 101:449-453 (1994)						
EC	Gouault-Heilmann et al., "The Procoagulant Factor of Leukaemic Promyelocytes: Demonstration of Immunologic Cross Reactivity with Human Brain Tissue Factor," British Journal of Haemetelegy, 30:151-158 (1975)						
ED	Grabowski et al., "The Functional Expression of Tissue Factor by Fibroblasts and Endothelial Cells Under Flow Conditions," Blood, 81(2):3265-3270 (1993)						
EE	Hamaguchi et al., "FDP D-Dimer Induces the Secretion of Interleukin-1, Urokinase-Type Plasminogen Activator, and Plasminogen Activator Infilibitor-2 in a Human Promonocytic Leukemia Cell Line," Blood, 77(1):94-100 (1991)						

Sheet Page 3 of 6

Form PTO-1449	DISCLOSURE CITATION	Docket Number (Optional) TNA-005.05	Application Number 10/764,140			
IN AN	APPLICATION	Applicant	10/105,270			
(Use severa	al sheets if necessary)	Hing C. Wong et al. Filing Date	Group Art Unit			
<u> </u>	Hoffman et al "Human	January 22, 2004 Monocytes Support Factor X Activ	/ation by Factor VIIa, Independent of Tissue			
EF	Factor: Implications for t	he Therapeutic Mechanism of Hig	h Dose Eactor VIIIa in Hemophilia," Blood,			
	83(1):38-42 (1994)					
EG		nanism of an Inhibitory Antibody on TF-initiated Blood Coagulation Revealed by FHuman Tissue Factor, Fab 509 and TF 509 Complex," J. Mol. Biol., 275.873-				
ЕН		Macrophage Tissue Factor in the Development of the Delayed Hypersensitivity n, Cellular immunology, 152:614-622 (1993)				
EI		ion of Functionally Important Regions of Tissue Factor by Using Monoclonal ., 114(5):691-696 (1993)				
EJ		of tissue factor activity reduces the density of cellular network formation in an in bis," Biochemical Society Transactions, 30(2):217-221 (2002)				
EK	Jang et al., "Antithrombo Platelet-Mediated Arteria	otic Effect of a Monoclonal Antiboo al Thrombosis," Arteriosclerosis a	dy Against Tissue Factor in a Rabbit Model of nd Thrombosis, 12(8):948-954 (1992)			
EL	Kirchhofer et al., "The Ti Biochemistry, 40.073-68		s with Factor Xa in the Activation of Factor VII,"			
ЕМ			Il Which Mediate Its Assembly and Function in f Biological Chemistry, 266(2):915-921 (1991)			
EN	Kumar et al., "Specific n Biochem. 217:509-518 (		r VII involved in factor X activation," Eur. J.			
EO			coagulation and Fibrinolysis by Pentoxifylline or cos," The Journal of Olinical Investigation, Inc.,			
ЕР	The Establishment of M		ssive Anti-Tissue Factor Monoclonal Antibody: feet on Mixed Lymphocyte Reaction,"			
EQ Martin et al., Activation 1994 Jun 15;83(12):3828-			ocyte Cell Surfaces, pp. 3828 – 3829 Blood.			
ER ER	Martin et al., "Tissue Fac 859 (1995)	ctor: molecular recognition and co	factor function," The FASEB Journal, 9:852-			
		tion of tissue factor with a γ chain homodimer of the IgE receptor type I in cultured J. immunol., 26.2529-2532 (1998)				
ET		al Difference between Intrinsic and 266(13):8079-8085 (1991)	Extrinsic Coagulation Pathways," The Journal			
EU	Merriam-Webster Online definition of thrombosis,		11, 2005, world wide web at m-w.com,			
EV	Morrissey et al., "Monoc Thrombosis Research, §		d and Cell-Associated Tissue Factor,"			

	<del></del>					
Form PTO-1449 INFORMATION	N DISCLOSURE CITATION	Docket Number (Optional) TNA-005.05	Application Number 10/764,140			
1	N APPLICATION	Applicant	1 10/70 % . 10			
(Use sevi	eral sheets if necessary)	Hing C. Wong et al.				
		Filing Date January 22, 2004	Group Art Unit 1645			
	Morrissey et al., "Resolu	tion of Monomeric and Hetero	dimeric Forms of Tissue Factor, the High-Affinity			
EV						
			felanoma Cells Promotes Efficient Hematogenous			
EX	Metastasis, Proc. Nati. F	Acad. Sci. USA, December 199	2, Vol. 89, pp. 11892-11896			
	Muller et al., "Structure of	of the Extracellular Domain of F	luman Tissue Factor: Location of the Factor VIIa			
E	Binding Site,"					
EZ		dered Addition, Essential Activation Model of the Tissue Factor Pathway of or a Conformational Cage, Biochemistry, 23:4020-4033 (1988)				
			C AS C C C C C C C C C C C C C C C C C C			
	Currence of Culturary Hum		nctional Expression of Tissue Factor on the Stimulation by Lipopolycaccharide Endotexin,"			
FA	Thrombosis Research, 5		, , , , , , , , , , , , , , , , , , , ,			
			lation Factor VII and Tissue Factor: The Effect of			
FE	Research Communication	ue Factor and Diisopropylfluorophosphate," Biochemical and Biophysical				
FC			t Tissue Factor Inhibits Thrombus Formation in and Intravascular Thrombosis, January 1994, Vol.			
	74, No. 1, pp. 56-63	Jaiotta Arteries, 1133ac i actor	and intravascular fill offices, building 1004, voi.			
	Ploplis et al., Initiation of	f the Extrinsic Pathway of Coag	gulation – Association of Factor VIIa with a Cell			
FC	9508					
FE						
EF	Rehemtulla et al., The Integrity of the Cysteine 186-Cysteine 209 Bond of the Second Disulfide Lot Tissue Factor is Required for Binding of Factor VII, The Journal of Biological Chemistry, June 5, Vol. 266, No. 16, pp. 10294-10299					
	Ruf et al., An Anti-Tissu	e Factor Monoclonal Antibody Which Inhibits TF-VIIa Complex Is a Potent				
EC	G Anticoagulant in Plasma (Stuttgart) 66 (5) 529-53		s, F.K. Schattauer Verlagsgesellschaft mbH			
	Ruf et al., Antibody Map	ping of Tissue Factor Implicate	es Two Different Exon-Encoded Regions in			
El	EH Function, Biochem J. (1991) 278, pp. 729-733					
<del> </del>	Ruf et al., Characterizati	ion of Factor VII Association w	th Tissue Factor in Solution – High and Low			
E	Affinity Calcium Dinding	<b>Sites in Factor VII Contribute (</b>	e Functionally Distinct Interactions, The Journal of			
	Biological Chemistry, Vo	ol. 266, August 25, 1991, pp. 1	5719-15725			
	Ruf et al., Phospholipid-	independent and -dependent l	nteractions Required for Tissue Factor Receptor			
E1		The Journal of Biological Chemistry, February 5, 1991, Vol. 266, pp. 2158-2168				
	D. 4 -1 - 01 - 1 - 1 - 1 - 1	Januar Time to Frank 1811 A 181	other of Thermhoppenin in Miss. The CAOCO			
Ex	Journal, April 1994, Vol.		ator of Thrombogenesis in Vivo, The FASEB			
			ed for Efficient Proteolytic Activation of Factor X			
EL		irnal of Biological Chemistry, November 5, 1992, Vol. 207, No. 31, pp. 22206				
<b></b>	22210	ho Tienus Center Culescallulas	Demain Mediate the Resembling of the Ligard			
EN		he Tissue Factor Extracellular Acad: Sci. USA, October 1991	Domain Mediate the Recognition of the Ligand Vol. 88, pp. 8430-8434			

Sheet Page 5 of 6

Form PTO-1449 INFORMATION DISCLOSURE CITATION			Docket Number (Optional) TNA-005.05	Application Number 10/764,140			
IN AN APPLICATION			Applicant	10//04,140			
(Use several sheets if necessary)			Hing C. Wong et al.	L Community of the State of the			
			Filing Date . January 22, 2004	Group Art Unit 1645			
			osis Factor-Induced Endothelial Tissue Fac				
E	EN	966-974	ot Expressed on the Apical Surface, Blood,	August 15, 1002, Vol. 80, No. 4, pp.			
	$\sqcap$	Sakai et al., Binding of H	luman Factors VII and VIIa to a Human Bla	dder Carcinoma Cell Line (J82) –			
E	EO	Chemistry, Vol. 264, No.	tiction of the Extrincic Pathway of Blocad Coagulation, The Journal of Biological 17, June 15, 1989, pp. 9980-9988				
			of Procoagulant Activity of Extracellular Endothelial Matrix by Anti-Tissue Factor				
1	EP	Human Blood, Blood Co.	etic Peptido Arg Cly Asp Vol. Experiments with Flowing Non Anticeagulated pagulation and Fibrinolysis, 1993, Vol. 4, pp. 881-890				
			epletion of Extrinsic Pathway Inhibitor Sens				
. E	EQ	78, No. 6, pp. 1496-1502	on and the Generalized Shwartzman Reaction, Blood, September 15, 1991, Vol. 2				
			ant Activity on Injured Arteries and Associa				
	ER	Disease, January 1996,	ester and Faster VIIa, Pathophysiology and Vol. 7, No. 1, pp. 58-62	Hatarar History, Coronary Artery			
-	_		on of Tissue Factor By Monocyte Porgenito	or Cells, Thrombosis Research, 1994,			
	ES	Vol. 76, No. 1, pp. 33-45					
		Sturm et al., Immunohist	ological Detection of Tissue Factor in Norm	al and Abnormal Human Mammary			
I	ET	1992, 421:79-86	el-Antibedies, Virchewe Archiv A Pathologic				
	EU	Toomey et al., Localizati	on of the Human Tissue Factor Recognition HOhemistry, October 15, 1991, Vol. 266, No.	Determinant of Human Factor VIIa,			
	11.0 dodniał of biologicał chemicky, colober 10, 1001, 101, 200, 110. 20, pp. 10100 10202						
E	Tsao et al., Monocytes Can Be Induced by Lipopolysaccharide-Trigg Functional Factor VII/VIIa Protease Activity, J. Exp. Med., April 198						
	_		nt of Antitissue Factor Antibodies in Patient				
E	EW	No. 1 July 1, 1993, pp. 9		,			
			Expression of Tissue Factor Antigen and P				
E	EX		h <del>LPO and Low Dose Gyeloheximide, Thror</del> Ilschaft mbH (Stuttgart), 1991, 66 (5), pp. 5				
		•	d Intravascular Coagulation in Rabbits Indu	•			
E			FAnti-Tissue Factor Antibodies and Measurement of Plasma Extrinsic Pathway Vol. 75, No. 7, April 1, 1990, pp. 1481-1489				
			Factor - And Factor X-Dependent Activation of Protease-Activated Receptor 2 by				
1	EZ Factor VIIIa," PNAS, 97(10):5255-5260 (2000)						
		Ruf et al., "Tissue Faster	Signaling," Thrombosis and Haemostasis,	<del>82(2):175 182 (1999)</del>			
F	FA						
		Ollivier et al "Tissue Fa	ctor-Dependent Vascular Endothelial Grow	th Factor Production by Human			
	FB		to Activated Factor VII," Blood, 91(8):2698				
	Wilger et al., "Effects of		f Binding of Ligand (FVIIa) to Induced Tissue Factor in Human Endothelial Cells,"				
	FC	Thrombosis Research, 9	8:311-321 (2000)				
			F:VIIa Complex: Clinical Significance, Stru				
	FD	Role in Signaling and Me	etastasis," Thrombosis Haemostasis, 86:75	7-771 (2001)			

Christian Bargust 5/10/06

Christina Bergust 3/10/06